

## Contents of Volume 34

Number 1, April, 1989

|   |    |
|---|----|
| Editorial   | 1  |
| Cloning of cDNAs encoding a 28 kilodalton antigen of <i>Toxoplasma gondii</i> (MBP 01104)<br>J.B. Prince, F.G. Araujo, J.S. Remington, J.L. Burg, J.C. Boothroyd and S.D. Sharma (U.S.A.)   | 3  |
| Isolation and characterization of RNA from the intracellular parasite <i>Theileria parva</i> (MBP 01116)<br>J. Gerhards, A.C. Gill, A.Y.B. Ehrfeld, D.A.E. Dobbelaere and R.O. Williams (F.R.G.)  | 15 |
| Detection of parasite peptidase in the plasma of heifers infected with <i>Trypanosoma congoense</i> (MBP 01110)<br>G. Knowles, G. Abebe and S.J. Black (Kenya)  | 25 |
| Expression of <i>Trypanosoma brucei</i> procyclin as a fusion protein in <i>Escherichia coli</i> (MBP 01111)<br>I. Roditi, D. Dobbelaere, R.O. Williams, W. Masterson, R.P. Beecroft, J.P. Richardson and T.W. Pearson (F.R.G., U.K., Canada) | 35 |
| Molecular karyotyping of the rodent malarias <i>Plasmodium chabaudi</i> , <i>Plasmodium berghei</i> and <i>Plasmodium vinckeii</i> (MBP 01113)<br>M. Sheppard, J.K. Thompson, R.F. Anders, D.J. Kemp and A.M. Lew (Australia)                 | 45 |
| Identification of 'Old World' <i>Leishmania</i> by DNA recombinant probes (MBP 01115)<br>G.J.M. van Eys, G.J. Schoone, G.S. Lighthart, J. Alvar, D.A. Evans and W.J. Terpstra (The Netherlands, Spain, U.K.)                                  | 53 |
| A study of red cell membrane properties in relation to malarial invasion (MBP 01117)<br>K. Rangachari, G.H. Beaven, G.B. Nash, B. Clough, A.R. Dluzewski, Myint-Oo, R.J.M. Wilson and W.B. Gratzer (U.K.)                                     | 63 |
| Repetitive DNA probes for the detection of <i>Babesia equi</i> (MBP 01118)<br>E.S. Posnett and R.E. Ambrosio (South Africa)   | 75 |
| Polymorphism of a 35-49 kDa <i>Plasmodium falciparum</i> merozoite surface antigen (MBP 01119)<br>B. Fenton, J.T. Clark, C.F. Wilson, J.S. McBride and D. Walliker (U.K.)   | 79 |
| Antimalarial action of nitrobenzylthioinosine in combination with purine nucleoside antimetabolites (MBP 01122)<br>A.M. Gero, H.V. Scott, W.J. O'Sullivan and R.I. Christopherson (Australia)   | 87 |

Number 2, May 1, 1989

|   |     |
|---|-----|
| Role of host antibody in the chemotherapeutic action of praziquantel against <i>Schistosoma mansoni</i> : identification of target antigens (MBP 01128)<br>P.J. Brindley, M. Strand, A.P. Norden and A. Sher (U.S.A.) | 99  |
| Mitochondria as the site of action of tetracycline on <i>Plasmodium falciparum</i> (MBP 01123)<br>R. Kiatfuengfoo, T. Suthiphongchai, P. Prapunwattana and Y. Yuthavong (Thailand)                                    | 109 |
| The mitochondrion of <i>Trypanosoma cruzi</i> is a target of crystal violet toxicity (MBP 01127)<br>F.R. Gadelha, S.N.J. Moreno, W. De Souza, F.S. Cruz and R. Docampo (Brazil)                                       | 117 |
| Use of chitinase to facilitate detection of protozoan, helminth and single copy genes in squashed whole mosquitoes (MBP 01124)<br>B.K.L. Sim, P. Romans and S. Harun (U.S.A., Indonesia)                              | 127 |
| Two variant surface glycoprotein genes distinguish between different substrains of <i>Trypanosoma brucei gambiense</i> (MBP 01129)<br>D.A. Barnes, J. Mottram, M. Selkirk and N. Agabian (U.S.A.)                     | 135 |

|   |     |
|---|-----|
| The N-terminal amino acid sequences of the <i>Plasmodium falciparum</i> (FCB1) merozoite surface antigens of 42 and 36 kilodalton, both derived from the 185-195-kilodalton precursor (MBP 01125)<br>H.-G. Heidrich, A. Miettinen-Baumann, C. Eckerskorn and F. Lottspeich (F.R.G.) | 147 |
| Structure, genomic organization and transcription of the bifunctional dihydrofolate reductase-thymidylate synthase gene from <i>Crithidia fasciculata</i> (MBP 01130)<br>D.E. Hughes, O.A. Shonekan and L. Simpson (U.S.A.)   | 155 |
| Rapid changes in the expression of a gene encoding a calcium-binding protein in <i>Schistosoma mansoni</i> (MBP 01126)<br>D. Ram, Z. Grossman, A. Markovics, A. Avivi, E. Ziv, F. Lanther and I. Schechter (Israel)   | 167 |
| Structural alterations of chromosome 2 in <i>Leishmania major</i> as evidence for diploidy, including spontaneous amplification of the mini-exon array (MBP 01143)<br>D.M. Iovannisci and S.M. Beverley (U.S.A.)  | 177 |
| H DNA amplification in <i>Leishmania</i> resistant to both arsenite and methotrexate (Short Communication)<br>(MBP 01142)<br>K. Katakura and K.-P. Chang (U.S.A.)   | 189 |
| Colonies of procyclic <i>Trypanosoma brucei</i> on semi-solid agarose plates (Short Communication)<br>(MBP 01147)<br>M. Gwo-Shu Lee and L.H.T. Van der Ploeg (U.S.A.)   | 193 |

Number 3, May 15, 1989

|  |     |
|--|-----|
| Biochemical and immunochemical characterisation of a 20-kilodalton complex of surface-associated antigens from adult <i>Onchocerca gutturosa</i> filarial nematodes<br>J.E. Bradley, W.F. Gregory, A.E. Blanco and R.M. Maizels (U.K.)                                 | 197 |
| Characterization of surface polypeptides on different life-cycle stages of <i>Theileria annulata</i><br>B. Shiels, R. Hall, J. Giascodine, C. McDougall, C. Harrison, E. Taracha, D. Brown and A. Tait (U.K.)  | 209 |
| Identification of a <i>Trypanosoma cruzi</i> antigen that is shed during the acute phase of Chagas' disease<br>J.L. Affranchino, C.F. Ibañez, A.O. Luquetti, A. Rassi, M.B. Reyes, R.A. Macina, L. Åslund, U. Pettersson and A.C.C. Frasch (Argentina, Brazil, Sweden) | 221 |
| Phosphorylation of erythrocyte membrane and cytoskeleton proteins in cells infected with <i>Plasmodium falciparum</i><br>M.C. Murray and M.E. Perkins (U.S.A.)   | 229 |
| Isolation and characterisation of a surface membrane glycoprotein from adult <i>Schistosoma mansoni</i><br>A.N. MacGregor and J.R. Kusel (U.K.)  | 237 |
| Study of <i>Leishmania mexicana</i> electropherotype by clamped homogeneous electric field electrophoresis<br>I. Galindo and J.L. Ramírez Ochoa (Venezuela)  | 245 |
| Characterization of tubulin genes in <i>Trypanosoma rangeli</i><br>D. Esquenazi, C.M. Morel and Y.M. Traub-Cseko (Brazil)  | 253 |
| Cloning of a polymorphic DNA fragment from the genome of <i>Leishmania donovani</i><br>J. Ellis, T. Knapp and J. Crampton (U.K.)   | 261 |
| Gene exchange in African trypanosomes: frequency and allelic segregation<br>J. Sternberg, C.M.R. Turner, J.M. Wells, L.C. Ranford-Cartwright, R.W.F. Le Page and A. Tait (U.K.)  | 269 |
| Evaluation of evolutionary divergence in the genus <i>Naegleria</i> by analysis of ribosomal DNA plasmid restriction patterns<br>C.G. Clark, G.A.M. Cross and J.F. De Jonckheere (U.S.A., Belgium)   | 281 |

